

PLAT AND RECORD OF SURVEY No. 15

William Kaseberg

Survey of the tract of land belonging to the above named party consisting of the N.E. 1/4 and the N.E. 1/4 of the N.W. 1/4 all in Section 19 Town 6 North Range 36 East N.M.

Most of the lines having been previously run and corners either made or renewed by Mr P. Gabner a competent surveyor but not being deputized to do the work it was necessary for the County surveyor or his legal deputy to run over the lines before said land could be legally recorded therefore after qualifying S. W. Smith and R. Wolf Chainmen and Wm Kaseberg Staggman I proceeded to chain the lines bounding the land of the said Wm Kaseberg and found all the corners bounding said land to be in their correct positions and described by Mr Gabner as follows

- N.E. Cor Rock 8" x 10" x 16" Renewed
- N 1/2 " " 8" x 12" x 14" " "
- S.W. - N.E. 1/4 of N.W. 1/4 " " Established
- S.W. - N.E. 1/4 of N.W. 1/4 " 7' x 9' x 14" Jain Keller bolt & monument
- S.E. - N.E. 1/4 of N.W. 1/4 " 7' x 7' x 12" "
- Center Cor of Sec " 6' x 6' x 13" Jensen gauge bolt & monument
- E 1/4 Cor " 8' x 9' x 14" Renewed
- N.E. Cor of S.E. 1/4 of S.E. 1/4 " 6' x 12' x 15" "

The East line of the N.E. 1/4 of the Section not having been previous subdivided I proceeded to subdivide it going to the N.E. Cor of Sec I ran south

Var 21

South \approx 00 41 00 intersected Gov E 1/2 with 35 E & S. I then ran Var 200
 North \approx 00 30 00 set boulder for S.E. Cor of N.E. 1/4 of N.E. 1/4 of Sec 19
 N 6 N R 36 E

PLAT AND RECORD OF SURVEY No. 1119

William Kaseberg Continued

Survey of the tract of land claimed by the above named party under the timber Culture act being the S 1/4 of N 1/4 and N 1/2 of S 1/2, T 20 N Range 36 E N.M.

I set on N 1/4 Cor and after qualifying J. N. Smith and H. Wolf Chairmen and Wm Kaseberg flagman I ran Var VI

South 19 36 found Large boulder placed by some person for the Center Cor to be which I made ten cor. then

" 19 70 intersected S 1/4 Cor then going to N 1/4 cor Cor I placed flagman on said Corner and going to E 1/2 Cor the flagman being plainly seen I ran on true

North 90 mts and crossed N and S line at temp Corner which I made permanent Center Cor to Section. The subdivisions of the N-S line from Center Corner would be

South 19 67 and

North 19 65 I then proceeded to chain these lines respectively and at each place found already rocks placed by some person to indicate the Corners and they being in the correct positions for Corners to subdivisions I adopted them as such.

I hereby certify that the foregoing survey of the land belonging to and claimed by William Kaseberg to be correct

J. H. Raley
County Surveyor

by
Geo W Rading
Deputy

Recorded December 10 - 1911
by E. H. Rading
County Surveyor

PLAT AND RECORD OF SURVEY No. 1719

Plat of William Kaseberg's Land
described on pages 57 & 58 of this book

