

75
Field Notes of Road Survey No. 385 for Umatilla County, Oregon.

I meet Frank Mansfield, S. C. Stanton and J. N. Saline, viewers on Road No 385, at Athena Feby. 18th. 1892, the viewers having been sworn in, by Judge Depeat, we call Edgar R. Thomson and J. C. Hill to chain and mark, who were each duly sworn.

I set initial against fence on N. side of a lane E+W. Continuous with main street in the town of Athena, and 40 links N. of the $\frac{1}{16}$ sec. cor. on the E $\frac{1}{2}$ of the line running E+W through the center of sec. 19 in T. 4 N. R. 35. Thence I run along rail fence on west side of narrow lane,

South

19.00 Descend.
30.00 Foot of hill.
37.50 Wild Horse creek about 40 lks. wide runs NW.-bridged.
40.10 The $\frac{1}{16}$ sec. cor. on E $\frac{1}{2}$ of line, bet. secs. 19+30.

East

Set a. p. 1, and turn left, on sec line,
41.90 Wild Horse creek 50 lks. wide runs N.-bridged.
46.50 Ascend steep hill.

South

60.32 The cor. to secs. 19-20-29-30 = Summit.
Set a. p. 2, and turn right on line bet. secs. 29+30.
80.00 " 1 m. p. on line against N.+S. fence.

2.38 East end of stable on line.
9.94 Wild Horse creek 10 lks. wide, course S.W. (Feby. 18th. 1892)
11.02 Center of small island 205 lks. across, on line,
12.25 Wild Horse creek 20 lks. wide course N. Ascend.
27.00 Summit of hill.

East

40.44 The $\frac{1}{16}$ sec. cor. on S. $\frac{1}{2}$ of line bet. secs. 29+30.
Set a. p. 3 and turn left through center of S.W. $\frac{1}{4}$ of sec. 29.
60.65 Center of S.W. $\frac{1}{4}$ of sec. 29 = Foot of gentle descent.
Set a. p. 4, and turn R 57.45 up. W. St. Creek.

S. 38° 15' E.

80.00 " 2 m. p. 45 lks. E. of line.

S. 23° 43' E.

30.90 Set a. p. 5, and turn R. 14° 32'

S. 34° 28' E.

78.25 " " 6 " " L. 10° 45'
80.00 " 3 m. p. 25 lks. west of line.

24.43 The cor. to secs. 4-5-32+33 bears west 200 lks. in lane E+W.
80.00 Set 4 m. p. 32 lks. west of line, and a. p. 7 on line.
Turn thence L. 6° 50'.

S. 41° 18' E.

11.25 Set a. p. 8 = make A on post in fence on W. of traveled R.

S 41° 18' E.		Turn thence R. 14° 30'.
S 26° 48' E.	14.50	Set a. p. 9, and turn L 20° (Feb. 19 1892.)
S 46° 48' E.	15.93	Branch 10 lks wide course N. - T. Page's Res. bears E. about 500 lks.
	16.98	Set a. p. 10 and turn L 3° 45' along traveled road in lane.
S 50° 33' E.	39.40	" " " " L 31° 22' " " " " "
S 81° 55' E.	80.00	" 5 m. p. 45 lks. w. of line.
	15.00	Int. line N. & S. through center sec 3. at a point 35 lks. N. of the 1/4 sec. cor. bet. secs. 3 + 10.
		Set a. p. 12 and turn left, on center sec. line
North	21.87	" " 13 " " R. 77° 50', up. W. St. creek.
N. 77° 50' E.	32.44	" " 14 " " R. 24° 32'
S. 77° 38' E.	50.50	" " 15 " " R. 14° 25'
S. 63° 13' E.	62.25	" " 16 " " R. 24° 05'
S. 39° 08' E.	74.10	" " 17 " " R. 17° 20'
S. 21° 48' E.	79.89	A pine, 40 ins. dia. bears E. of line 5 links dist. marked 6 M. on
	5.00	Set a. p. 18 = A on west side of pine 36 ins. dia.
S 18° 38' E.	14.30	Turn thence R 3° 10' Along traveled road
S 17° 08' E.	26.00	cut A on W. side of pine 36 ins. dia. for a. p. 19. Turn thence R. 16° 30'
S. 0° 38' E.	31.35	cut A on E. side of pine 48 ins dia = a. p. 20. Turn thence R. 16° 30'
S 6° 38' E.	69.50	cut A on E. of pine (20 lks west) 6 " " " 21 " " L. 6'
	69.50	Bank, course E + W, 15 ft. h.
	70.00	cut A on W. side of pine 4 ins dia. & 15 lks. E. of line, for a. p. 22
		Turn thence L. 10° 10'
S 16° 48' E.	80.70	A pine 5 ins. dia bears E. 15 lks. of line. I cut 7 M on west side for 7 m. p.
		Saturday Feb. 20 1892
	7.44	cut A on S. side of pine 42 ins. dia, about 50 lks below traveled road, for a. p. 23. Turn thence R. 3° 30'
S 13° 28' E.	12.60	cut A on E. side of fir 4 ins. dia., about 15 lks. west of traveled road for a. p. 24. Turn thence L 22'
S 35° 28' E.	21.05	cut A on W. side of pine, 36 ins. dia. for a. p. 25
		Turn thence L 9° 55'
S 45° 23' E.	34.50	Ravine about 20 ft deep, course about N. 20° E. Ascend.
	34.80	cut A on S. side of fir 10 ins. dia. and 12 lks N. of line, for a. p. 26. Turn thence L. 19° 06'
S 64° 23' E.	41.00	Summit - descend gently.
	42.60	Ravine course S.W. Ascend.
	43.50	cut A on N. side of pine 48 ins. dia. 5 lks S. of line, for a. p. 27. Turn thence L. 10°
S 71° 23' E.	52.20	cut A on N. side of pine 48 ins. dia. 10 lks S. of line, for a. p. 28. Turn thence L. 10°

S. 74° 23' E.		Turn thence S. 21° 20'
N 84° 17' E.	55.30	cut A on N. side of pine 2 ins. dia. and 5 lks. S. of line for a. p. 29 Turn thence R. 31° 10' - Descend steep hill 150 ft. high.
S 74° 30' E.	59.00	Set a. p. 30 200 lks. from foot of hill - Turn thence S 36° 30'
N 68° 77' E.	59.50	Small stream 5 lks. wide runs.
	63.50	" " 5 " " " N.
	70.58	cut A on W. side of fir 18 ins. dia. for a. p. 31. Turn thence R. 81° 10'.
S 29° 53' E	80.20	cut 8 m on W. side fir 8 ins dia. and 29 lks. E of line, for 8 m. p.
	2.12	cut A on E. face of fir 2 ins. dia and 8 lks. W. of line, for a. p. 32. Turn thence S. 73° 35'.
S 43° 28' E.	4.12	cut A on W. side of stump 10 ins dia on W. side of traveled for a. p. 33 Turn thence R. 10° 45'.
S 32° 43' E	5.80	Set a. p. 34 on E. side of trav. R. and turn thence R. 23° 20'.
S. 9° 23' E	10.05	" " on line and cut A on W. side of little fir 3 ins in dia and 19 lks. W. of line on W. side of trav. R. Turn thence S. 40° 50'
S 50° 13' E	12.25	A. p. No on R. No. bears west on N E face of hill about 30 lks from line.
	12.75	Center of rock pile in W. H. Creek, near its center 50 lks. wide, course N. W.
	13.00	E. bank of W. H. Creek - Intersect Davidson Wagon Road, course N. W. + S. E. - This point is about 50 lks above a split post 5 x 6 x 6 ins., + 4 ft. long, in stone mound in creek, marked R 318 on E. face, at mouth of tributary to W. H. Creek, course about S. 35° W. I cut R on N. side of red fir 8 ins. dia, and 385 on E side, for terminal post to road 385. This tree is on a steep hill side on the W. side of W. H. Creek, about 60 links, from terminus.

From the 7th m. p. onward, the road passes through
pine + fir timber with dense brush, generally, along
the hillside on the south side of Wild Horse Creek.

I hereby certify that the foregoing are the cor-
rect notes to road survey, No. 385, for Umatilla Co. Or.,
Jno. C. Arnold, County Surveyor.