

Field Notes of Road Survey No. 368, for Umatilla Co., Oregon.

I meet and qualify viewers L. Reith & Burr Johnson, August 13th. 1891; we call suitable parties to assist in chaining, marking, flagging &c, and administer oath to each.

I set initial post for Road No. 368, 30' East of the south end of a bridge across Wild Horse creek, near where said creek crosses the line bet. ranges 34 & 35 E. in Umatilla Co. Oregon, and with a common open sight field Compass, I run, from S. end of said bridge - (var. 24° E.)

| | | |
|------------|------|--|
| S32.50W | 215 | Center of W. H. creek, course west - creek bridged; |
| | 626 | Intersect line bet. ranges 34 & 35 East at a point 80' East of R. R. track. Set angle post 1 and turn thence on said range line. |
| South West | 1826 | Cor. for Secs. 19, 24, 25 & 30 S. 4 N. Set a. p. 2. Thence |
| | 4005 | R. R. track, course N.E. & S.W. |
| | 4262 | Set a. p. 3. at a point 80' west of center of R. R. track. Thence, along west side of R. R. track & R. of way. |
| S58.30W | 5280 | Set 1 m. p. 110 feet west, from center of R. R. track. |
| | 740 | " a. p. 4 Thence S. 17° 00' W. |
| | 1864 | " " 5 " S 47° 30' W. |
| | 5280 | " 2 m. p. 110 west of center of R. R. track. |
| | 4923 | Intersect line N & S through center N.W. 1/4 of Sec. 35 (?). 161' South of R. R. track is an unmarked stake in mound with pits N & S. |
| | 5280 | Set 3 m. p. 50' west of R. R. track. Continue, thence, following along R. R. Right of way on the west side of the track, which runs about N.E. & S.W. |
| | 1600 | Set a. p. 6. Thence along W. side of track S 39° 30' W. |
| | 2526 | " " 7 " " " S 34° 00' W. |
| | 3773 | " " 8 " " " S 33° 00' W. |
| | 5280 | " 4 m. p. 50' west of R. R. track |
| | 850 | " a. p. 9 80' west of R. R. track and Right angle across to point 80' East of R. R. track - Set a. p. 10. Thence along East side of R. R. track S 33° 00' W. |
| | 5280 | Set 5 m. p. 50' East of R. R. track |
| | 750 | Intersect R. 367 at a point 2 m + 557 ft. from beginning of said road; Set a. p. 11, and run, thence, |
| South | 1233 | To 1/2 Sec. cor. on E. 1/2 of line E & W. through center Sec 9 Tp. 3 N. R 34 E. - Set a. p. 12, and run, thence, |
| West | 2769 | Center said Sec. 9. - Set a. p. 13 and run, thence, |
| South | 5280 | Set 6 m. p. 30' East. |
| | 193 | To 3 m. p. on R. 367. |

| | | |
|---------------|--|---|
| West South | 1103 ²⁶⁴⁷ 3750 ¹⁵³⁰ 5280 | To 4 sec. cor. bet. secs. 9+16. - Set a. p. 14. - Thence bet. 9+16. Cor. for secs. 8-9-16-17. " " 15. - " " 16. + 17. Set 7 m. p. 30' E. |
| West | 193 ⁹³⁰ 1123 ⁺¹⁵⁷ 5280 | To 4 m. p. on R. 367. " 1/4 sec. cor. bet. secs. 16+17. - Set a. p. 16. - Thence bet. 17+20. Set 8 m. p. 30' S. |
| South | 193 1143 3793 5280 | To 5 m. p. on R. 367. " 1/4 sec. cor. bet. secs. 17+20. Cor. for secs. 17-18-19-20. " " 17. - " bet. 19+20. Set 9 m. p. 30' E. |
| West | 193 1180 3857 5280 | To 6 m. p. on R. 367. " 1/4 sec. cor. bet. secs. 19+20. Cor. for secs. 19-20-29-30. " " 18. - " bet. 19+30. Set 10 m. p. 30' N. |
| South | 193 1213 2533 3538 | To 7 m. p. on R. 367. " 1/4 sec. cor. bet. secs. 19+30. " 1/16 " " on W 1/2 of line bet. 19+30. Cor. for secs. 19-24-25-30 on line bet. Ranges 33+34 E. and Sp. 4 N. - Leave R. 367. - Set a. p. 19. - Thence on Range line |
| West | 4821 5280 872 3524 5280 | To 1/16 sec. cor. on N. 1/2 of line bet. secs 25+30. Set 11 m. p. 30' E. To 1/4 sec. cor. bet. secs. 25+30. Cor. for secs. 25-30-31-36. - Set a. p. 20. - Thence bet. 25+36. Set 12 m. p. 30' S. |
| South | 750 831 3500 5280 | Cabin bears N. about 40 dist. To 1/4 sec. cor. bet. secs. 25+30. Cor. for secs. 25-26-35-36 Set 13 m. p. 30' S. |
| West | 3434 5280 | Cor. for secs. 26-27-34-35. Set 14 m. p. 30' S. |
| South | 3521 5280 | Cor. for secs. 27-28-33-34. Set a. p. 21. - Thence bet. 33+34. Set 15 m. p. 30' E. |
| West | 880 5280 | To 1/4 sec. cor. bet. secs. 33+34 " " 22 " through center sec. 33. To 3 N. R. 33 E. Set 16 m. p. 30' S. |
| South | 390 | To 1/4 sec. cor. bet. secs. 32+33. Set a. p. 23. " bet. 32+33 |
| West | 2625 5280 361 | Cor. for secs 32+33 in Sp. 3 N. and secs. 4+5 in Sp. 2 N. Range 33 E. Set a. p. 24 and turn on Sp. line Set 17 m. p. 30' S. Cor. purporting to be 1/4 S. cor. on S. bdy. said sec. 32. |

- Set a. p. 25, and turn, thence, S. $58^{\circ} 30' W$.
- 5280 Set 18 m. p. 30 S.
- 1360 " A. p. 26 and turn N. $82^{\circ} 30' W$. - down hill to Amatilla R.
- 3976 " " 27 " " S. $50^{\circ} 30' W$.
- 4868 " " 28 on S. side of traveled R. Thence S. $62^{\circ} 00' W$.
- 5280 " 19 m. p. 30 N. on rocky hillside facing south, above graded road. Made stone md. around Post.
- 1863 Center of narrow lane, N.E. & S.W. 26 wide. Set a. p. no. 29 against fence on E. side of the lane and run
- S $35^{\circ} 30' W$. 2346 Along center of lane, to slough 30 wide, bridged
- 2882 N. end of bridge across the Amatilla River,
- 3182 Cut A on North brace in R.R. bent, and turn, thence, up the hill on south side of river,
- S $5^{\circ} 30' W$. 3495 Set a. p. 31. on south side of trav. R. near Summit. Thence, to intersect E. end of Court Street in Pendleton, N. $81^{\circ} 30' W$.
- 3560 Summit - Descend gently.
- 4685 Stone Mon. on E. end of Pendleton, in Court St. N. Set terminus 60' south.

All the posts are of size, and are marked and set in mounds as required by law. The angles are each such as indicated by an ordinary magnetic needle at each station. -

I hereby certify that the foregoing are the accurate field notes of Road Survey No. 368, for Amatilla County, Or.

Jno. C. Arnold, Co. Survr.