

USDA-FOREST SERVICE

Index

File No. N25

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. _____

Cor.

No. _____


T 1S R. 35E

R.D. WALLA WALLA County UMATILLA

Merid. WILLAMETTE

N.F. UMATILLA State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

FND 3/4" BLM BRASS CAP RISING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

25" P. PINE, BLAZED & SCRIBED T1S R35E S24 CC BT,
BEARS S 4 1/2° W - 128 LKS -

23" P. PINE, BLAZED & SCRIBED T1S R35E S13 CC BT,
BEARS N 67 1/2° W - 127 LKS -

10" DEAD STANDING W. LARCH, B&S T1S R36E S19 BT,
BEARS N 43° E - 64 FT. -

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

ON VERY STEEP WEST SLOPE, 360' East of RAVINE
Road 3033, 2 1/2 miles From Road 3032 to
Where Road Turns East, Thence South to Posted
Line, 500 ft ± South of Fence, Thence Along Posted
Line to Corner

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

7100-52 (3. 68)

D. Scott *[Signature]* LS 1248 & LS 1248

7/85

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

NONE

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Set Steel Fence Post 3 ft West of CAP
Attached Signs to Post and All BT'S
Painted Red Bands

Work Done By. D. SCOTT Title SURVEYOR Date 6/23/85 State Registration No. LS 1844
or Agency

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. N 25 T. 15 R. 35E W.M. Tract or Surv. No. _____ Cor. _____

USDA-FOREST SERVICE

Index File No. N-25

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. _____

Cor.

No. _____


T 15 R. 35E

R.D. WALLA WALLA County UMATILLA

Merid. WILL

N.F. UMATILLA State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

CORNER STONE IS LYING ON A M.O.S. - NO MARKS VISIBLE. STONE MEASURES 26" x 15" x 5" A BLAZED LINE RUNS N-S FROM CORNER.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

AN 8" (RECORD 14") PINE SNAG BEARS N43°E, 64° FT WITH FULL SCRIBING VISIBLE ON DOUBLE BLAZES.

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

7100-52-(3,68)

Dennis L. Gaylord

PLS 1636

6-12-82

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ **Title** _____ **Date** _____ **State Registration No.**
or Agency _____

Certified Cor. Record Prepared ? Yes No **Filed At:** _____ **Date** _____

REMARKS

Index File No. **T.** **R.** **M.** **Tract or Surv. No.** **Cor.**