

Form 874-9—Revised May, 1918
 U. S. DEPARTMENT OF AGRICULTURE
 FOREST SERVICE

Unadilla NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 2 N R. 37 Mer. E N

Corner common to Sections 26, 36, and 2

Corner consists of a Rock (not) in place

State condition _____ inches.

Dimensions above ground 2 1/2" x 1 1/2"
 Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

	→		
	—		
	—		
	—		
N	W	S	E

DIAGONAL POSITION

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____
 Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>T2N</u> <u>N51E</u> <u>35</u>			<u>T2N</u> <u>N51E</u> <u>36</u>
<u>10T</u>			<u>10T</u>

Species	<u>S.F.</u>	<u>S.F.</u>	<u>S.F.</u>
Diameter	<u>3.2"</u>	<u>3.2"</u>	<u>3.2"</u>
Bearing	<u>N10W</u>	<u>N10E</u>	<u>N10E</u>
Distance	<u>21.5 ft</u>	<u>21.5 ft</u>	<u>21.5 ft</u>

Do you believe this to be a genuine Land Office Corner? Yes
 If not, why? _____


Signature, _____

Date, _____

T. 27 R. 37 Mer.

8-3027

(Make sketch of topography near Corner.)



RECEIVED
 FEB 20 1931
 PENNSYLVANIA NATIONAL FOREST
 FOREST SERVICE

Metal Location Poster is on a tree
 tree 3 1/2 inches diameter, on the
 side of North
 from which this Corner bears N.W.
10 chains distant.

Give any further facts which will aid in finding this
 Corner again.

Handwritten notes:
 about 3 chains in the
 woods to the east of
 spring house. The corner
 is along line to the
 spring house.

Index
 File No. Z 4-21
 T 2 N R. 37 E
 Merid. _____


CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. Walla Walla County _____
 N.F. Umatilla State _____

Tract or Survey No. _____
 Cor. No. A-21

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

Material: None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

28" Fir - NE Quad. - Down, too rotten to identify.
 20" Fir Stump - SE Quad. - Stump top indicates tree was blazed correct dist. out for BT.
 26" Pine Snag, 10' high - SW Quad. scribed as called for in G.L.O. Notes.
 There is 24" dia. Fir stump 2' high blazed on South face scribed 2N R37E S35. Probably set before resurvey. No evidence NW 3

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

note: this is off set corners. 0.65 ch apart. Moore apparently found B.T.'s FOR Both corners.
D. Gaylord

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
Agency

Signature
 B. Moore

Title _____ Division _____ Headquarters _____

7/79
 Date

7100-52-(3/68)