() Discussion only (X) Action

FROM (DEPT/ DIVISION): Douglas R. Olsen County Counsel

<u>SUBJECT:</u> Maintenance Payable – Chiller Repair

Background: Approval is sought for a payable for courthouse chiller repairs. The payable is before the Board for approval due to the amount.	Requested Action: Approve payable to HMS Commercial Service, Inc. in the amount of \$6,614.00	

ATTACHMENTS: Payable

*************For Internal Use Only***********

Checkoffs:

() Dept. Head (copy)
() Budget (copy)
() Fiscal
(Х) Legal (copy)
() (Other - List:)

To be notified of Meeting: Mark Tanner

Needed at Meeting:

Scheduled for meeting on: June 21, 2023

Action taken:

S
ш
2
9
2
1
2
ш
Σ
>
A
~
F
z
0
O
\triangleleft
-
=
4
N
5

PEID-AC 1425	NAME HMS C	ADDRESS	PO BO)	CITY, STATE, ZIP BELLEVUE, WA 98015	
14254-01	NAME HMS COMMERCIAL SERVICE, INC.		PO BOX 50245	/UE, WA 98015	

VAL	
APPRO	5
ATION-	
HORIZ	
AUT	

5	STOCKING V	
~	SIGNATURE IF OVER \$3,000	
	DATE ATTACH APPROVAL	CHECK
-	200003	

RETURN -			N - HOLD	
	6/9/2023		RETURN -	
	6/9/2023			

AMOUNT	ACCOUNT #	DESCRIPTION	INVOICE NUMBER	INVOICE TOTAL	INVOICE DATE	FINANCE CODES
\$6,614.00	6001-53400	Installed Drain Pan on Evaporator	323491	\$6,614.00	05-31-23	
		Reset Chiller Controls				
\$6,614.00	\$6,614.00 PAGE TOTAL		Office Use: Pretravel Auth rec:	Auth rec:	Contract Reviewed:	ed: Routine:
\$6,614.00	\$6,614.00 GRAND TOTAL		Office Use: Tax ID Reviewed:		Quotes: B	Bids:

Invoice

HMS COMMERCIAL SERVICE, INC.

4103 SE International Way Suite 300 Milwaukie OR 97222 503-220-0394 FAX: 503-841-6245

	003-220-0394 FAX: 503-841	-0245			
Account # 100499			Invoice # Date: Page #	323491 5/31/2023 1 of 1	
UMATILLA COUNTY COURTHOUS 216 SE FOURTH STREET PENDLETON OR 97801	SE	Service At: UMATILLA CO 216 SE FOURTH PENDLETON O	STREET	RTHOUSE	
Service Date 5/22/2023 PO #	Job # 261896 Cont	ract #	С	laim #	
5/23/23 - chiller was off by remote when I arrived normal. Water flow good. Checked main controlle Boiler and chiller needed to be set back to auto. C was causing the chiller to run when it was too low once controls were in auto. Also installed drain pan on evaporator in basemer	er. Noticed set-points were ove Chiller ambient temp starting se v of temperature. Which lead to	rwritten. Had controls te t point was 40 degrees. A	ch VPN into c Adjusted to 60	controls. degrees. This	
Description Of Service	Quantity	Unit Price	Ext	ended Price	Tax
LABOR SHEET METAL, FITTINGS & PIPING TRUCK CHARGE	28 1 1	\$205.00 \$674.00 \$200.00		\$5,740.00 \$674.00 \$200.00	
	1	Total		\$6,614.00	
Object Remo	ng Code et Code53400 idel Dept	-			
Terms: Due 6/30/2023	oved	-	Please pay	from this Inv	oice
Ple	ase Detach and Return with Re	mittance			
Check Enclosed [] Master Card [] Visa [] AmExp [] Discov	Method of Payment	I	nvoice # Date :	323491 5/31/2023	
Acct # Name on Card Signature		UMATILLA CO	UNTY COUR	100499 RTHOUSE	
Remit To: HMS COMMERCIAL SERVICE, II P.O. BOX 50245 Bellevue WA 98015	NC.	Amount Due		\$6,614.00	